SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs AEE BTP Dated 12/10/23 On His/Her Land Located at Kathigenahalli Chinnappa Yg Munegowda house in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☑ Purposes.

★ The Area Investigated has a slope towards East - west

★ Radius 75° from centre of the Point.

★ Approximate Casing pipe Required 65 mts

★ No of Water Bearing Zones 2 Nos

★ From the above Observation, a Borewell is Recommended for Drilling upto 370 Mts for Better Storage.

★ The Approximate Yield May be 2.5 inch GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore - 560 094
Mobile : +91 9342202932 | 9343202932

No. Date : 20/10/23

1. Customer's Name and Address : AEE Byatarayanapura
   With Telephone No. Sub Division Dasarahalli
   No-24
   Kattigenahalli Chimneys Layout
2. Well Location : Nar Munegowda Layout
3. Total Well Depth / Drilled in Ft. : 365 mts
4. Casing Erected in Ft. : 64 mts
5. Water Struck at the Depth of : failure
6. Total Yield (Measuring method "V" North ___ / inches on " V" North)
7. Formation of Soil / Well Water Condition :
   Boulders / Silt / Loose Soil / Clear —
8. At the Depth of : 365 mts
9. Recommended to use Jet Pump / Air Compressor / Submersible / Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good / satisfied / Party agreed conditions.

Once the well handed over to party, Company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I Owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / ~~Proprietor~~

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs AEE BBP Dated 12/10/23 On His/Her Land Located at Dwarakanagar 3rd main Road in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☑ Purposes.

★ The Area Investigated has a slope towards North - East.

★ Radius 65' from centre of the Point.

★ Approximate Casing pipe Required 65 Mts

★ No of Water Bearing Zones 4. No's

★ From the above Observation, a Borewell is Recommended for Drilling upto 350 Mts for Better Storage.

★ The Approximate Yield May be 2.5 inch GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

VINAYAKA ENTERPRISES

BOREWELL COMPLETION REPORT

Borewell Drilling Contractors

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore - 560 094
Mobile : +91 9342202932 | 9343202932

No. Date : 20/10/22

1. Customer's Name and Address With Telephone No. : AEE Byatarayanapura Sub division Dasarahalli 8/04-24
2. Well Location : Dwaraknagar 2nd main Road
3. Total Well Depth / Drilled in Ft. : 341 mtrs
4. Casing Erected in Ft. : 61 mtrs
5. Water Struck at the Depth of : 220 mtrs, 310 mtrs
6. Total Yield (Measuring method "V" North 2 inch / inches on " V" North)
7. Formation of Soil / Well Water Condition : Boulders / Silt / Loose Soil / Clear Clear
8. At the Depth of : 341 mtrs
9. Recommended to use Jet Pump / Air Compressor / Submersible / Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good / satisfied / Party agreed conditions.

Once the well handed over to party, Company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I Owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

Party's Signature

For VINAYAKA ENTERPRISES

Manager / ~~Proprietor~~

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs AEE KST Dated 16/10/22 On His/Her Land Located at Kathigenahalli Shivappa Yr Rajanna Lock in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☑ ~~Purposes~~.

★ The Area Investigated has a slope towards North – East

★ Radius 60° from centre of the Point.

★ Approximate Casing pipe Required 15 Mtrs

★ No of Water Bearing Zones 4. Nos

★ From the above Observation, a Borewell is Recommended for Drilling upto 350 Mtr for Better Storage.

★ The Approximate Yield May be 2.5 inch GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

VINAYAKA ENTERPRISES

BOREWELL COMPLETION REPORT

Borewell Drilling Contractors

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore - 560 094
Mobile : +91 9342202932 | 9343202932

No.

Date : 22/10/23

1. Customer's Name and Address : AEE BSP sub div
   With Telephone No. Dasarahalli, Blore-24
   Kathigenahalli Chinappa Lt Rejana House
2. Well Location :
3. Total Well Depth / Drilled in Ft. : 335 mtrs
4. Casing Erected in Ft. : 81. mtrs
5. Water Struck at the Depth of : 850 ft 1170 ft
6. Total Yield (Measuring method "V" North 2.5 inch / inches on " V" North)
7. Formation of Soil / Well Water Condition :
   Boulders / Silt / Loose Soil / Clear Clear
8. At the Depth of : 335 mtrs
9. Recommended to use Jet Pump / Air Compressor / Submersible / Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good / satisfied / Party agreed conditions.

Once the well handed over to party, Company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I Owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / ~~Proprietor~~

Scanned by CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs AGE KTP Dated 15/10/22 On His/Her Land Located at Shivapura Near Angavadi in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☑ Purposes.

- ★ The Area Investigated has a slope towards North - West
- ★ Radius 50 from centre of the Point.
- ★ Approximate Casing pipe Required 45 Mtr
- ★ No of Water Bearing Zones 3 Nos
- ★ From the above Observation, a Borewell is Recommended for Drilling upto 1250 feet for Better Storage.
- ★ The Approximate Yield May be 3 inch GPH.





SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned by CamScanner

VINAYAKA ENTERPRISES

BOREWELL COMPLETION REPORT

Borewell Drilling Contractors

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore - 560 094
Mobile : +91 9342202932 | 9343202932

No. Date 21/11/22

1. Customer's Name and Address : AEE RTP Sub-division
   With Telephone No. Doddaballapur.
2. Well Location : Shirapura Near Anganawadi.
3. Total Well Depth / Drilled in Ft. : 1280 feet
4. Casing Erected in Ft. : 42 Mtrs
5. Water Struck at the Depth of : 750, 1000 110 ft
6. Total Yield (Measuring method "V" North 3" fully / inches on " V" North)
7. Formation of Soil / Well Water Condition :
   Boulders / Silt / Loose Soil / Clear Clear
8. At the Depth of : 128 ft
9. Recommended to use Jet Pump / Air Compressor / Submersible / Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good / satisfied / Party agreed conditions.

Once the well handed over to party, Company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I Owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / ~~Proprietor~~

Scanned by CamScanner